LARSON CATALOGUE

EXTERIOR DOOR SYSTEMS | INTERIOR DOOR SYSTEMS | COMMERCIAL | HARDWARE

ADD A
Larson Door

Add a Larson Door to any model of Madero door system in 32", 34" or 36" by standard 6/8" height. Available as factory installed or as DIY for existing doors in your home. A Larson storm door improves energy efficiency of the entryway by up to 80%. Please contact your Madero dealer for custom sizes and additional products available.

TABLE OF CONTENTS

4 Platinum Collection

5 456FV | FVE Fullview Retractable Screen
5 459FV | FVE Interchangeable Full Glass
5 449-04 Secure Glass
5 450-18 Secure Screen

8 NEW 150 Maximum View

9 150FX | FXE Maximum View
9 150BX Maximum View Bevel

10 Classic View

10 350-17 Classic View Fullview - Brushed Nickel
11 360-48 WearTuff® Full Screen

12 Retractable Screens Easy Vent® Selection

12 146FV | FVE Fullview Easy Vent®
13 146HV Highview Easy Vent®
13 146PV Fullview Easy Vent® Pet Door
13 146MV Midview Easy Vent®
13 146BV Fullview Easy Vent® Bevel

14 Lifestyle Screen Away®

14 830-80 Midview - Brass
14 830-82 Midview - Brushed Nickel
14 830-85 Midview - Aged Bronze
15 691-52 Highview - Keyed Brushed Nickel
15 691-55 Highview - Keyed Aged Bronze
15 691-90 Highview - Keyed Brass
16 356-52 Superior Fullview - Brushed Nickel
16 356-60 Superior Fullview - Brass
17 370-84 Lifestyle 2.0 Midview Screen Away®

18 Single-Vent

18 298-SS Life-Core® Composite Surface Single-Vent
19 278-SS Life-Core® Single-Vent

20 Reversa Screen

20 360-16 Classic View Reversa Screen Midview
21 370-50 Life-Core® Reversa Screen

22 Pet Friendly

22 360-79 Classic View Pet Door
23 360-49 Pet Breeze
23 370-79 | 78 Life-Core® Pet Door Large & XLarge

24 French Door Conversion Kit

26 Guardsman Security Storm Doors

27 920-20 Courtyard Security Door
27 920-21 Garden View Security Door
27 920-24 Geneva Security Door
27 920-28 El Dorado Security Door
27 920-36 Soho Security Door

28 Outdoor Living

28 7721 Brisa Single Door
29 7722 Brisa Double Door
30 E100 / E200 Escape Retractable Screen
32 Inspire Pleated Retractable Screen Door
34 WS1000 / WS2000 Retractable Wall Screen
36 Retractable Motorized Screens

38 Measuring Storm Doors

Open the full potential of your entry — season after season.

Model 459FV White Linen Frame with Curved Brushed Nickel QuickFit Handleset

Platinum Collection

Experience a truly premium entryway with the advanced features and sleek, modern design of the Platinum Collection.

10 minute install with no experience or special tools required.

Premium aluminum frame and 3x the weatherstrip seal for ultimate weather protection.

Hidden push-to-hold closer holds the door in place with an extra push.

Multi-point locking system secures the door at three critical points.

Platinum Collection Available Models

LOW E
AVAILABLE

L R

456FV | FVE Fullview Retractable Screen Clear or Low-E

81" Height
32", 36"

Screen Away® disappears above the window for a clear view.

LOW E
AVAILABLE

L R

459FV | FVE Interchangeable Full Glass Clear or Low-E

81" Height
32", 36"

Includes screen for seasonal ventilation.

L R

449-04 Secure Glass

81" Height
32", 36"

Dominator™ inner shield between two glass panels to help prevent break-ins. Includes Break-In Protection Warranty.

L R

450-18 Secure Screen

81" Height
32", 36"

Dominator™ stainless steel mesh is tested to withstand 1,000lbs of force to help prevent break-ins. Includes Break-In Protection Warranty.

Model 456FV | FVE in White

Platinum Collection
Build Your Door

Door widths: 32”, 36”
Standard Door Height: Fits 80-81”

Frame Colours

White Linen

Pebblestone

Woodland

Graphite

Black

QuickFit™ Handlesets: Sold separately and required to operate the built-in deadbolt.

Curved



New Curved Finish

Aged Bronze | Antique Brass | Brass | Brushed Nickel | Matte Black

Straight

Aged Bronze | Brushed Nickel | Matte Black

Upgrade to Low-E Glass

Select storm doors can be upgraded to Low-E glass. Factory-coated Low-E glass minimizes the amount of UV rays that pass through to help reduce fading. Plus, Low-E delivers exceptional energy efficiency and can increase the insulating value of an entry by 24% compared to clear glass.

The Low-E Advantage

Helps keep rooms cooler in the summer by reflecting the sun’s heat.

Helps keep rooms warmer in the winter by minimizing heat loss.

LOW E AVAILABLE

Look for this icon on models that offer Low-E glass options.

Platinum Collection Features

Platinum Security
Additional security with multi-point locking system. QuickFit™ handleset sold separately.

Platinum Hidden Closer
Hidden built-in closer with Click&Hold™ technology to hold the door open.

Platinum Triple Seal
Triple weatherstrip to help protect your home and entry door from harsh weather.



Platinum Pre-Hung Door
Pre-assembled for easy surface mount installation. Select L (left-hinge) or R (right-hinge) as viewed from outside.

The Fast Install
Pre-assembled for easy surface mount installation. Just place on the opening and secure with pre-attached screws.

LIFETIME
LIMITED WARRANTY

Lifetime Limited Warranty

Aluminum Frame
Constructed with heavy-duty, low-maintenance aluminum and surrounded by a dual or heavy-duty weatherstrip for exceptional weather resistance.



Composite Surface
Durable weatherstrip and high-performance composite surface over solid wood core deliver weather-resistant protection that lasts.

NEW 150 Maximum View

150 Maximum View in Black

NEW 150 Maximum View

The new 150 Maximum View gives you the best view you can get from a storm door. The large window opening features a solid panel of tempered glass for an unobstructed view and maximum natural light.

150FX | FXE Maximum View Clear or Low-E

81" Height
30", 32", 34", 36"

150BX Maximum View Bevel

81" Height
36"

QuickFit™ Handlesets: Sold separately and required to operate the built-in deadbolt.

Door Colours:



Top Benefits:

An unmatched view. Enjoy maximum natural light through our largest window opening. Easily swap in the included screen for seasonal fresh air.

Confident closure. Listen for the click as SureLatch™ magnetic technology helps your door close with a smooth, confident latch for years to come.

Enduring protection. The heavy-duty aluminum frame surrounded by 2x the weatherstrip seal shields your entry against the elements.

Upgrade Options:

- Neat+ Low-E Glass - Designed to help keep glass clear and free of watermarks, reducing the need for cleaning.
- BetterVue Screen - Wicks away water and grime for a clear view.
- French Door Kit available.

Additional Features:

- SureLatch Step-to-Hold Closer.
- Minimalist modern design.
- Overlapping frame edge.

Model 350-17 - Black

Handle Included



Brushed Nickel

Colours

White Black Brown

Sandstone Almond

81" Height
32", 36"

350-17 Classic View Fullview

- Aluminum 1-1/4" full glass door provides low-maintenance weather-resistance.
- Heavy-duty weatherstrip.
- Interchangeable fullview glass and screen opens your home to the best of each season.
- Standard adjustable closer.
- Bottom expander adjusts to uneven sills.
- Universal hinge for right or left mount.

French Door Kit Available

Easy Left or Right Hinge Installation

Model 360-48 - White



Colours

White Brown

81" Height
32", 36"

Screens

Screen Mesh
WEARTUFF®

SUNTEX 80



Black Gray Stucco

PetScreen®

No-See-Um

360-48 WearTuff® Full Screen

- Kid and pet-friendly WearTuff® screen reinforced in frame; upgrade screen options available.
- Low-maintenance 1-1/4" rigid aluminum frame.
- Mounting rail with side weatherstrip to keep out pests.
- Colour-matched lever handle and inside lock.
- Colour-matched adjustable-speed closer.
- Bottom expander fits tight to bottom sill.
- Universal hinge for right or left mount.
- Limited Lifetime Warranty.

French Door Kit Available

Easy Left or Right Hinge Installation

Retractable Screen Away®
Storm Doors

Larson's Retractable Screen Away® designs convert your storm door to a screen door instantly and discreetly rolls up and hides when not in use.

146FV | FVE
Fullview
Easy Vent®

81" Height
30", 32", 34", 36"

146HV Highview Easy Vent®

81" Height
32", 36"

146PV Fullview Easy Vent® Pet Door

81" Height
32", 36"

146MV Midview Easy Vent®

81" Height
32", 34", 36"

146BV Fullview Easy Vent® Bevel

81" Height
36"

QuickFit™ Handlesets: Sold separately and required to operate the built-in deadbolt.



Door Colours:



* Model 146HV Not available in Black

Convenience
Two closers with hold-open button keeps the door open.

Finish
Installation screw covers conceal exterior screws.

Durability
Premium frame construction with 1-7/8" thick aluminum.

Retractable Screen

French Door Kit Available

Easy Left or Right Hinge Installation

Model 830-82 White

Handle

830-80 Brass
830-82 Brushed Nickel
830-85 Aged Bronze

Colours

White
Brown
Sandstone
Almond

81" Height
32", 34", 36"

830 Lifestyle Screen Away® Midview

- Our top performing wood core retractable screen storm doors include features like a magnetic weatherstrip for a tight seal (830, 691 series).
- DuraTech surface over solid wood core for age and weather-resistance.
- Screen Away® retractable screen disappears in top cassette for a clear view.
- Two adjustable-speed closers in matching colours.
- Bottom expander adjusts to uneven sills.
- 10-Year Limited Warranty.

Retractable Screen

Easy Left or Right Hinge Installation

French Door Kit Available

Model 691-52 - White

Handle

691-52 Brushed Nickel

691-55 Aged Bronze

691-90 Brass

Colours

White | Brown | Sandstone

81" Height
32", 36"

691 Lifestyle Screen Away® Highview

- Our top performing wood core retractable screen storm doors include features like a magnetic weatherstrip for a tight seal (830, 691 series).
- DuraTech surface over solid wood core for age and weather-resistance.
- Screen Away® retractable screen disappears in top cassette for a clear view.
- Two adjustable-speed closers in matching colours.
- Bottom expander adjusts to uneven sills.
- 10-Year Limited Warranty.

Retractable Screen

Easy Left or Right Hinge Installation

French Door Kit Available

Model 356-52 - White

Handle

356-52 Brushed Nickel

356-60 Brass

Colours

White

81" Height
32", 34", 36"

356 Lifestyle Screen Away®
Superior Fullview

- 1-3/8" thick aluminum frame.
- Heavy-duty weatherstrip.
- Designer screw covers conceal exterior mounting screws.
- Screen Away® retractable screen disappears in top cassette for a clear view.
- Decorative exterior lever with keyed lock; colour-matched interior handle.
- One colour-matched adjustable-speed closer.
- Bottom expander adjusts to uneven sills.
- Limited Lifetime Warranty.

Retractable Screen

Easy Left or Right Hinge Installation

Model 370-84 - White

Handle



370-84
Brushed Nickel

Colours

White Brown Almond

81" Height
30", 32", 34", 36"

NEW!

370-84 Lifestyle 2.0 Midview Screen Away®

- DuraTech surface over solid wood core for age and weather-resistance.
- Heavy-duty weatherstrip.
- Screen Away® retractable screen disappears in top cassette for a clear view.
- Colour-matched lever handle and inside lock.
- One colour-matched adjustable-speed closer.
- Bottom expander adjusts to uneven sills.
- 10-year Limited Warranty.

Retractable Screen

Easy Left or Right Hinge Installation

French Door Kit Available

Model 298-SS - White

Venting
Storm Doors

Let in the breeze when you want, and the way you want, with these ventilating doors.

Storm doors at a great value. Choose from all-metal frame construction or a tough, weather-resistant DuraTech surface. ReversaScreen provides for top or bottom venting.

Colours

White Brown

81" Height
30", 32", 34", 36"

298-SS Life-Core® Composite Surface Single-Vent

- 1" thick solid core design.
- Maintenance-free composite finish provides weather-resistance.
- Traditional half-screen adjusts for bottom ventilation.
- One adjustable-speed closer.
- Bottom expander adjusts for uneven sills.
- Colour-complementing handle included.*
- 10 Year Limited Warranty.

Easy Left or Right Hinge Installation

French Door Kit Available

**Note: White model comes with white handle. Brown model comes with black handle.*

Model 278-SS - White

Colours

White
Brown
Sandstone
Almond

81" Height
30", 32", 34", 36"

278-SS Life-Core® Single-Vent

- DuraTech surface over solid wood core for age and weather-resistance.
- Heavy-duty weatherstrip.
- Single-vent glass and half-screen for bottom ventilation.
- Colour-matched lever handle and inside lock.
- Bottom expander adjusts to uneven sills.
- Universal hinge for right and left mount.
- 10-year Limited Warranty.

Easy Left or Right Hinge Installation

French Door Kit Available

Model 360-16- White

Colours

White Brown

81" Height
30", 32", 34", 36"

360-16 Classic View Reversa Screen

- 1-1/4" thick maintenance-free all-metal frame.
- Rigid steel kickpanel stands up to abuse.
- Reversa Screen for top or bottom ventilation.
- Bottom expander adjusts to uneven sills.
- Colour matched lever handle & inside lock.
- One colour matched closer.

Reversa Screen

Easy Left or Right Hinge Installation

French Door Kit Available

Model 370-50 - White

Colours

White Brown

81" Height
30", 32", 34", 36"

370-50 Life-Core® Reversa Screen

- Wood core with DuraTech finish.
- WearTuff™ screen is 3x stronger and tear-resistant.
- Allows top or bottom ventilation.
- High traffic 5 hinge system provides extra durability.
- FlexGuard closer protects the door when over-extended and allows door to open past 90 degrees.
- Handles included, colour matched to door.

WearTuff Reversa Screen

Easy Left or Right Hinge Installation

French Door Kit Available

Model 360-79 - White

Pet
Storm Doors

Let your pet in and keep unwanted critters out with our built-in pet door. These half-screen doors combine function and style, letting the light in while letting your pet in and out.

Colours

White Brown

81" Height
32", 34", 36"

360-79 Classic-View Pet Door

- All-metal frame is 1-1/4" thick and maintenance-free.
- Fullview design bottom glass allows your pet to see outside.
- Tear resistant WearTuff® Screen is 3x stronger than regular screens.
- Reversa Screen for top or bottom ventilation.
- Lever handle and interior lock.
- Bottom expander adjusts for uneven sills.
- Includes slide-in pet cover for added security when not in use.
- Limited Lifetime Warranty.

WearTuff Reversa Screen

Easy Left or Right Hinge Installation

360-49 Pet Breeze

Colours

White Brown

81" Height
32", 36"

- 1-1/4" low-maintenance, all-metal frame.
- Tear resistant PetScreen is built to endure daily life with your pet.
- Pet door fits pets up to 100lbs.
- Colour-matched lever handle and inside lock.
- Colour-matched adjustable-speed closer.
- Bottom expander adjusts to uneven sills.
- Includes slide-in pet cover for added security when not in use.
- Limited Lifetime Warranty.

Pet Screen

Easy Left or Right Hinge Installation

French Door Kit Available

370-79 | 78 Pet Door



Colours

White Almond

81" Height
32", 36"

- DuraTech surface over solid wood.
- 370-79 fits pets up to 100lbs. - 10" x 17" large opening.
- 370-78 fits pets up to 220lbs. - 14" x 25" xlarge opening.
- Heavy-duty weatherstrip.
- Single-vent screen for bottom ventilation.
- Colour-matched adjustable-speed closer.
- Matching interior and exterior Secure Lock handles with built-in inside lock.
- Includes slide-in pet cover for added security when not in use.
- 10-Year Limited Warranty.

Easy Left or Right Hinge Installation

French Door Kit Available

French Door Conversion Kit

With Larson's French Door Conversion Kits, Larson storm doors are easily adapted for double-door entry applications. Each kit includes detailed installation instructions, all necessary hardware, astragal, and special drip cap. Dummy handle available on select models (sold separately).

With a French Door installation, you will have one left-hinge door and one right-hinge door. The astragal included in your French Door Kit replaces the latch side mounting rail included with each door. The full width drip cap included in the French Door kit replaces the top drip caps included with the doors.

French Door Conversion Kit

Front View



Top Down View



Availability

Models: 298SS, 37050, 146, 360, 150, 830

Colours: White, Brown, Black (146, 150 only)

Width: 64", 68" (298SS, 146 white only), 72"

Height: 80"

Measuring Guide

1. Measure full width of opening from jamb exterior trim where storm doors will attach to the trim.
2. Measure full height of opening from head exterior trim to threshold where storm doors will attach.
3. Compare your dimensions with the standard French storm door opening size guide. If your opening does not match a standard, you need custom French doors.

Note: Continuous wood shims up to 1/4" thick can be installed behind both hinge mounting rails, allowing a given width of standard doors to fit an opening 1/2" wider. Extra long screws will be needed to secure.

Ordering French Door Units

Standard Sizes: Order two standard size doors and a standard size French door kit.

Custom Sizes: Measure the true opening size of the entry and order the doors as one custom French door configuration with that measurement in inches. (For example, 73" x 84") Use the same measurement to order a French door kit separately.

Typical Larson Storm Door French Door Installation

Kit parts, instructions and astragal vary by model.

Model 920-21 Garden View - White

Model 920-20 Courtyard - White



Model 920-28 El Dorado - Black

Guardsman Security Storm Doors

The Guardsman Collection offers a complete line of steel security doors engineered to protect what matters most without sacrificing style and ease of use.

The welded tubular steel frame and three-piece tempered safety glass system provide superior strength, and the anti-removal vault pin and heavy-duty hinges add reinforced protection. Interchangeable insect screens are sold separately for seasonal venting.



COURTYARD
920-20
81" Height
32", 34", 36"



GARDEN VIEW
920-21
81" Height
32", 34", 36"



GENEVA
920-24
81" Height
32", 36"

EL DORADO
920-28
81" Height
32", 36"



SOHO
920-36
81" Height
32", 36"

Colours

White

Black

Durable Frame
Welded tubular steel frame for superior strength.

Safety & Security
Anti-removal vault pin for reinforced protection.

Reinforced Hinges
Heavy-duty 7" hinges for a secure mount.

Too Many Keys?
Provide your own hardware so you can open your entry and security doors with the same key.

Select standard entry door hardware with a 2-3/8" backset and 2-1/8" hole diameter.

Lock Box Location



Standard
Hardware location for Guardsman doors are figured from the top of the opening down to the center of the lever/knob which is mounted in the top hole of the lock box. Based on a standard 81" door, this measurement is 38".

Custom:
When ordering, indicated the distance from the top of the door opening to the center of the lock box. Allowable location is center of the door based on the centered ordered opening height + or - 12".
Example: Opening Height: 83"
Center of Door: 41-1/2"
Maximum Height: 53-1/2" (41-1/2" + 12" = 53-1/2")
Minimum Height: 53-1/2" (41-1/2" - 12" = 29-1/2")

Brisa 7721 Single Door

Brisa Retractable Screen Doors

Brisa Retractable Screen Doors offer a new approach to maximizing fresh air. The full-screen retracts when not in use. Brisa features a simple and quick 30-minute install.

Colours

White | Black | Brown | Sandstone

78" to 96" Height
32" to 36" Width

7721 Single Door

- Cassette on the right or left side of the screen door can be pulled side-to-side or retracted when the screen is not in use.
- Subtle strips to prevent walk through.
- Quick snap track requires no cutting.
- Handle comes with latch lock to secure the door in place.
- Sizes: 32" to 36" Width x 78", 80", 96" Height
- Limited lifetime warranty.
- 30-minute installation.

Brisa 7722 Double Door

Colours

White Black Brown Sandstone

78" to 96" Height
68" to 72" Width

7722 Double Door

- Cassette on the right or left side of the screen door can be pulled side-to-side or retracted when the screen is not in use.
- Subtle strips to prevent walk through.
- Quick snap track requires no cutting.
- Handle comes with latch lock to secure the door in place.
- Sizes: 68" to 72" Width x 78", 80", 96" Height
- Limited lifetime warranty.
- 30-minute installation.

Escape E100 Retractable Screen Doors

Escape Retractable Screen Doors

Enjoy the outdoors without interruption using the Escape Retractable Screen Door.

Colours

White Black

20" - 60" Width
36" - 84" Height
85" - 96" Height

Escape E100 (Single) or E200 (Double)

- Worry-free ventillation. Screen provides bug-free air when you need it and retracts out of sight when you don't.
- Slam-proof retraction. Controlled retraction prevents the screen from slamming shut.
- Custom-made ventillation. Designed to fit single and double doors and openings up to 96" wide and up to 96" high.
- Features a durable finish and tear-resistant fabric.
- Pre-assembled for easy recessed or surface-mount installation without any cutting.
- Sizes: 20" to 60" Width x up to 96" Height
- 5 year limited warranty.

Configurations



E100 Single



E200 Double

Common Installations



Option A (Recommended)
Inside the Frame Installation
Recess Mounted at the Brickmould



Option B
Inside the Frame Installation
Fully Inside the Master Frame



Option C
Outside the Frame Installation
Surface / Face Mounted

E100			
E200			

Measuring Guide

Applies to inside mount applications.

1. Begin by deciding where best to position the screen. The opening must be plumb, level and square, and the bottom guide of the retractable screen must rest on a flat, level and solid surface. Make any needed adjustments to the opening (or plan and allow for shimming) before measuring for the screen.

2. Determine the net screen opening dimension (width x height) as measured from the outermost edges of where the retractable screen will rest. Screens are then made to fit these dimensions. Manufacturing tolerances are plus or minus 1/16".

We recommend that with inside the frame installations (options A or B) that you deduct an additional 1/16" from the width and height dimensions that you submit in order to assure that the screen is not too tight in the opening during installation. If you plan on using shims or threshold transitions, be sure to also deduct appropriately for these.

Inspire Pleated Retractable Screen

Inspire Pleated Retractable Screen Doors

Create a smooth transition between indoor and outdoor living with the Inspire Pleated Retractable Screen Door.

Colours

White Black

Max 63" Width
Max 84" Height
Max 96" Height

- Elegant, pleated fabric provides ventillation with refined design.
- The flat bottom guide installs without a runner for easy movement through the entry.
- Designed to fit single and double doors and openings up to 31-1/2" wide and over 10' high.
- Easily move and stop the screen at any position with one hand.
- Includes metal adjustable-height handles.
- Pre-assembled for easy installation without any cutting.
- Sizes: 20" to 60" Width x up to 96" Height.
- 5 year limited warranty.

Opening Configurations

View from the Outside (Specify Configuration When Ordering)



A End Panel with Seal **B** Panel with Connector

WS1000 Retractable Wall Screen

Retractable Wall Screen

The ideal screen solution for bi-folding, lift-n-slide and other large opening doors and windows, the Retractable Wall Screen fills the home with fresh air.

Colours

White

48", 72", 96, 120" Width
96", 108" Height

WS1000 (Single) or WS2000 (Double)

- Elegant, pleated fabric provides ventillation with refined design.
- Easily move and stop the screen at any position with one hand.
- Designed to fit openings up to 315" wide and 119" high.
- The single screen WS1000 can open from either end.
- The double screen WS2000 features two panels that meet in the middle.

Configurations



WS1000 Single



WS2000 Double

Product Details

Screen Panel Assembly

WS1000 (qty 1) WS2000 (qty 2)

Guides

Top Guide Side Profile Bottom Guide

Profiles

WS1000 (single)







WS2000 (Double)





Retractable Motorized Screens

Enjoy the view in comfort.

Enjoy the outdoors in comfort with the Larson Retractable Motorized Screen. Protect against insects, debris, sun, heat and wind with a selection of five purpose-built screens that fully retract for an unobstructed view. Your screen is custom-made to fit your opening and is pre-assembled for easy recessed or surface-mount installation.



Aluminum Frame Colours

White	Almond	Sandstone	Brown	Black

Measuring Storm Doors



Your measurements

A	_____ width
B	_____ width
C	_____ width
D	_____ height

Door Sizes	Min-Max Doorway Width	Min-Max Doorway Height
30" x 81"	29-7/8" to 30-3/8"	80" to 81"
32" x 81"	31-7/8" to 32-3/8"	
34" x 81"	33-7/8" to 34-3/8"	
36" x 81"	35-7/8" to 36-3/8"	

Size availability varies by model.
CUSTOM SIZES available in select models.

Mounting Guide

Storm Doors (Recess Mount)

The rails mount inside the opening and require a 1" wide by 1" deep mounting surface.



Note: Construction styles may vary

Surface Mount (Platinum Collection Only)

- Rails mount directly to the face of the exterior brickmould.
- Requires a 3/4" wide mounting surface.



Note: Construction styles may vary

Recess Mount

- Rails mount inside the opening.
- Requires a 1" wide by 1" wide deep mounting surface



Note: Construction styles may vary

Make Your Grand Entrance

Looking for a high-quality, complete door and hardware package for your home? Madero offers a wide array of door designs and configurations with highly customizable glass and hardware options suitable for both interior and exterior applications.

Entry Doors

Artisan Doors

Interior Doors

Multi-Family

Garden Patio

Commercial

Contact us at:

madero.ca | canada.orders@madero.ca | 1.800.667.6977

@maderocanada

Brochure designed by

TWO SIX CREATIVE

MAD005-25